Supplemental Amendment to Official Action of 8 October 2003 SN: 10/047,362 Filed: 14 January 2002 TC A/U: 1713 Examiner: Mulcahy, Peter D. Inventor: R. A. Lindner Docket: 1021-01

Title: Products

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

## Listing of Claims:

A rigid polyvinyl chloride article comprising: Claim 1. (currently amended):

- A. a polyvinyl chloride resin;
- B. a member selected from the group consisting of:
- about 0.2 to about 5 weight parts per 100 parts of component A of ethylene glycol distearate,
- about 0.2 to about 5 weight parts per 100 parts of component A of stearyl stearate,; and,
- about 0.2 to about 5 weight parts per 100 parts of component A of distearyl phthalate, and,
- about 0.2 to about 5 weight parts per 100 parts of 4. component A of hydrogenated fallow,
- about 0.2 to about 5 weight parts per 100 parts of component A of a pentaerythritol ester, and:

C. an organic acid oxidized polyethylene having more than 40 carbon atoms, said organic acid being present in a weight ratio of about 0.2 to about 2 parts per part of component B,

provided further that said article has at least one of the following properties gloss % reflectance @ 60° of less than 65, withstands a falling dart impact of greater than 247.1 ft-lb/inch, and a Delta E at 15,000 hours of less than 6.6.

Claim 2. (previously presented): The rigid polyvinyl chloride article of claim 1 wherein component B is present at about 0.2 to about 5 parts per hundred weight parts of component A.

Claim 3. (previously presented): The rigid polyvinyl chloride article of claim 1 wherein component C is present at about 0.2 to about 5 parts per hundred weight parts of component A.

Supplemental Amendment to Official Action of 8 October 2003 SN: 10/047,362 Filed: 14 January 2002 TC A/U: 1713 Examiner: Mulcahy, Peter D. Inventor: R. A. Lindner

Title: Products

Docket: 1021-01

Claim 4. (canceled).

Claim 5. (canceled).

Claim 6. (previously presented): The rigid polyvinyl chloride article of claim 1 wherein component C is present to component B in a weight ratio of 0.2 to about 2 parts per part of component B.

Claim 7. (canceled).

Claim 8. (canceled).

Claim 9. (canceled).

Claim 10. (previously presented): The rigid polyvinyl chloride article of claim 1 wherein component C contains 45 to 70 carbon atoms.

Claim 11. (canceled).

Claim 12. (previously presented): The rigid polyvinyl chloride article of claim 1 wherein component C is present to component B in a weight ratio of 0.3 to about 1.5 parts per part of component B.

Claim 13. (currently amended): The rigid polyvinyl chloride article of claim 1 wherein that has both of the following properties gloss % reflectance @ 60° of less than 65 and withstands a falling dart impact of greater than 247.1 ft-lb/inch.

Claim 14. (currently amended): The rigid polyvinyl chloride article of claim 1 wherein that has both of the following properties the property met is gloss % reflectance @ 60° of less than 65 and a Delta E at 15,000 hours of less than 6.6.

Claim 15. (currently amended): The rigid polyvinyl chloride article of claim 1 wherein that has all of the following properties the property met is a falling dart impact of greater than 247.1 ft-lb/inch, a gloss % reflectance @ 60° of less than 65, and a Delta E at 15,000 hours of less than 6.6.

Claim 16 (currently amended): The rigid polyvinyl chloride article of claim 1 wherein that has both of the following properties the property met is a falling dart impact of greater than 247.1 ft-lb/inch, and a Delta E at 15,000 hours of less than 6.6.

A rigid polyvinyl chloride article comprising: Claim 17. (new):

A. a polyvinyl chloride resin;

Page 3 of 8

p.5

Supplemental Amendment to Official Action of 8 October 2003 SN: 10/047,362 Filed: 14 January 2002 TC A/U: 1713 Examiner: Mulcahy, Peter D. Inventor: R. A. Lindner

Title: Products

Docket: 1021-01

B. a member selected from the group consisting of:

- about 0.2 to about 5 weight parts per 100 parts of 1. component A of ethylene glycol distearate,
- about 0.2 to about 5 weight parts per 100 parts of 2. component A of stearyl stearate, and
- about 0.2 to about 5 weight parts per 100 parts of 3. component A of distearyl phthalate, and,
- oxidized polyethylene having more than 40 carbon atoms, said organic acid being present in a weight ratio of about 0.2 to about 2 parts per part of component B,

provided further that said article has at least one of the following properties gloss % reflectance @ 60° of less than 65 and withstands a falling dart impact of greater than 247.1 ft-lb/inch.